Contents

No. 1 – 1–120 issued 22 July 1995
No. 2 – 121–246 issued 28 July 1995
No. 3 – 247–380 issued 21 August 1995
No. 4 – 381–506 issued 30 August 1995
No. 5 – 507–636 issued 20 September 1995
No. 6 – 637–766 issued 25 October 1995

Aiba H → Kato N 399
Alonso JC, Fisher LM: Nucleotide sequence of the *recF* gene cluster from *Staphylococcus aureus* and complementation analysis in *Bacillus subtilis recF* mutants 635
Alpert K → Giovannoni JJ 195
Amemura M → Kim S-K 1
Andrawis A → Delmer DP 43
Arndt GM, Atkins D, Patrikakis M, Izant JG: Gene regulation by antisense RNA in the fission yeast *Schizosaccharomyces pombe* 293
Arraiano CM → Zilhão R 242
Atkins D → Arndt GM 293
Aves SJ, Hindley J, Phear GA, Tongue N: A fission yeast gene mapping close to *suc1* encodes a protein containing two bromodomains 491

Baillie DL → Jones SJM 719
Ballario P → Müller F 162
Barthelmess IB → Müller F 162
Baumberg S → Klingel U 329
Bębenek A, Pietrzykowska I: A new mutation in *Escherichia coli* K12, *isfA*, which is responsible for inhibition of SOS functions 103
Bechthold A, Sohng JK, Smith TM, Chu X, Floss HG: Identification of *Streptomyces violaceoruber* Tü22 genes involved in the biosynthesis of granaticin 610
Beck CF → Kropat J 727
Becker H-A → Bravo-Angel AM 527
Begley D, Murphy AM, Hiu C, Tsubota SI: *Modifier of rudimentary*^{p1}, *mod(r)*^{p1}, a trans-acting regulatory mutation of *rudimentary* 69
Bejarano ER, Muñoz MJ, Jimenez J: Functional analysis of the *Drosophila CDC2 Dm* gene in fission yeast 621
Belote JM → Liu Y 182
Beneke S, Bestgen H, Klein A: Use of the *Escherichia coli uidA* gene as a reporter in *Methanococcus voltae* for the analysis of the regulatory function of the intergenic region between the operons encoding selenium-free hydrogenases 225
Benito EP, Campuzano V, Lopez-Matas MA, De Vicente JI, Eslava AP: Isolation, characterization and transformation, by autonomous replication, of *Mucor circinelloides* OMPdecase-deficient mutants 126
Berberich T → Kusano T 507
Bergounioux C → Regad F 703
Bestgen H → Beneke S 225
Bhatnagar D → Chang P-K 270
Bitter W → Koster M 735
Böhnert HU → Bölker M 547
Bölker M, Böhnert HU, Braun KH, Görl J, Kahmann R: Tagging pathogenicity genes in *Ustilago maydis* by restriction enzyme-mediated integration (REMI) 547
Bornecque C → Chaboissier M-C 434
Bösl MR, Seldin MF, Nishimura S, Taketo M: Cloning, structural analysis and mapping of the mouse selenocysteine tRNA$^{[Ser]Sec}$ gene (*Trsp*) 247
Bouché J-P → Cam K 190
Bownes M → Slee R 755
Bownes M → Søndergaard L 25
Braga DP → Van Deynze AE 744
Braun KH → Bölker M 547
Bravo-Angel AM, Becker H-A, Kunze R, Hohn B, Shen W-H: The binding motifs for *Ac* transposase are absolutely required for excision of *Ds1* in maize 527
Bron S → Meima R 391
Brown JKM → Clarke JH 278
Bucheton A → Chaboissier M-C 434
Busseau I → Chaboissier M-C 434
Bussey H → Jiang B 260

Caillet J → Zilhão R 242
Cam K, Cuzange A, Bouché J-P: σ^s-dependent overexpression of *ftsZ* in an *Escherichia coli* K-12 rpoB mutant that is resistant to the division inhibitors DicB and DicF RNA 190
Campuzano V → Benito EP 126
Carbonero P → Diaz I 592
Cary JW → Chang P-K 270
Cavarec L → Jensen S 381
Chaboissier M-C, Bornecque C, Busseau I, Bucheton A: A genetically tagged, defective I element can be complemented by actively transposing I factors in the germline of I-R dysgenic females in *Drosophila melanogaster* 434
Chan J → Jonak C 686
Chanet R → Heude M 59
Chang L-K → Chen C-L 121
Chang P-K, Cary JW, Yu J, Bhatnagar D, Cleveland TE: The *Aspergillus parasiticus* polyketide synthase gene *pksA*, a homolog of *Aspergillus nidulans wA*, is required for aflatoxin B_1 biosynthesis 270
Chang Y-S → Chen C-L 121
Chen C-L, Chang L-K, Chang Y-S, Liu S-T, Tschen JS-M: Transposon mutagenesis and cloning of the genes encoding the enzymes of fengycin biosynthesis in *Bacillus subtilis* 121
Chétrit P → Pla M 79
Chu X → Bechthold A 610
Clarke JH, Mithen R, Brown JKM, Dean C: QTL analysis of flowering time in *Arabidopsis thaliana* 278
Cleveland TE → Chang P-K 270
Cock JM, Stanchev B, Delorme V, Croy RRD, Dumas C: *SLR3*: a modified receptor kinase gene that has been adapted to encode a putative secreted glycoprotein similar to the *S* locus glycoprotein 151
Crowley TE, Hazelrigg T: A male-specific 3′-UTR regulates the steady-state level of the *exuperantia* mRNA during spermatogenesis in Drosophila 370
Croy RRD → Cock JM 151
Cueva G de la → Ruiz-Echevarría MJ 599
Cuzange A → Cam K 190

Das OP → Hu W 471
Davis CR, McPeek MA, McClung CR: Molecular characterization of the *proline-1 (pro-1)* locus of *Neurospora crassa*, which encodes Δ^1-pyrroline-5-carboxylate reductase 341
De Paepe R → Pla M 79
De Vicente JI → Benito EP 126
Dean C → Clarke JH 278
Delley M → Germond J-E 407
Delmer DP, Pear JR, Andrawis A, Stalker DM: Genes encoding small GTP-binding proteins analogous to mammalian rac are preferentially expressed in developing cotton fibers 43
Delorme V → Cock JM 151
Desjardins AE → Hohn TM 95
Diaz I, Royo J, O'Connor A, Carbonero P: The promoter of the gene *Itr1* from barley confers a different tissue specificity in transgenic tobacco 592
Díaz-Orejas R → Ruiz-Echevarría MJ 599
Döring H-P → Michel D 287
Drlica K → Friedman SM 417
Dumas C → Cock JM 151
Dutta S, Gerhold D, Kmiec EB: Assembly of nucleosomal DNA in a cell-free extract from wild-type and top1$^-$ strains of *Ustilago maydis* 675

Egetoft P → Søndergaard L 25
Ejiri S-i → Kagaya Y 668
Elmayan T → Vaucheret H 311
Engelmann S → Maul B 114
Elomaa P, Helariutta Y, Griesbach RJ, Kotilainen M, Seppänen P, Teeri TH: Transgene inactivation in *Petunia hybrida* is influenced by the properties of the foreign gene 649

Eslava AP → Benito EP 126

Fabre F → Heude M 59
Feuillet C, Messmer M, Schachermayr G, Keller B: Genetic and physical characterization of the *LR1* leaf rust resistance locus in wheat (*Triticum aestivum*L.) 553
Firon N → Yesodi V 540
Fisher LM → Alonso JC 635
Floss HG → Bechthold A 610
Fontdevila A → Marín I 423
Frasch M → Küssel P 351
Freund S → Pelzer-Reith B 481
Friedman SM, Malik M, Drlica K: DNA supercoiling in a thermotolerant mutant of *Escherichia coli* 417
Frova C → Rossini L 535
Fujita Y → Yoshida K-I 583
Fukuhara T → Moriyama H 364

Galli A, Schiestl RH: On the mechanism of UV and γ-ray-induced intrachromosomal recombination in yeast cells synchronized in different stages of the cell cycle 301
Ganal MW → Giovannoni JJ 195
Gassama M-P → Jensen S 381
Gerhold D → Dutta S 675
Germond J-E, Lapierre L, Delley M, Mollet B: A new mobile genetic element in *Lactobacillus delbrueckii* subsp. *bulgaricus* 407
Gidoni D → Yesodi V 540
Giovannoni JJ, Noensie EN, Ruezinsky DM, Lu X, Tracy SL, Ganal MW, Martin GB, Pillen K, Alpert K, Tanksley SD: Molecular genetic analysis of the *ripening-inhibitor* and *non-ripening* loci of tomato: a first step in genetic map-based cloning of fruit ripening genes 195
Goldsbrough PB → Zhou J 318
Görl J → Bölker M 547
Goshima N → Tanaka H 518
Griesbach RJ → Elomaa P 649
Gromoff ED von → Kropat J 727
Guarente L → Haldi ML 229

Haas R → Schmitt W 563
Haid A → Weiss-Brummer B 207
Haijema BJ → Meima R 391
Haldi ML, Guarente L: Multiple domains mediate heme control of the yeast activator HAP1 229
Harada M → Kusano T 507
Harrington SE → Van Deynze AE 744
Hartings H → Michel D 287
Hazelrigg T → Crowley TE 370
Hecker M → Maul B 114
Heidmann T → Jensen S 381
Hein K → Rossini L 535
Helariutta Y → Elomaa P 649
Hervé C → Regad F 703
Heude M, Chanet R, Fabre F: Regulation of the *Saccharomyces cerevisiae* Srs2 helicase during the mitotic cell cycle, meiosis and after irradiation 59
Heuermann D → Schmitt W 563
Hidaka S → Kagaya Y 668
Hidaka S → Nakamura T 253
Hilti N → Ludin KM 439
Hindley J → Aves SJ 491
Hirano H → Nakamura T 253
Hirt H → Jonak C 686
Hiu C → Begley D 69
Hoffmann B → Müller F 162
Hohn B → Bravo-Angel AM 527
Hohn TM, Desjardins AE, McCormick SP: The *Tri4* gene *of Fusarium sporotrichioides* encodes a cytochrome P450 monooxygenase involved in trichothecene biosynthesis 95
Hori K → Pelzer-Reith B 481
Howe D → Lin Z 487
Hu W, Das OP, Messing J: *Zeon-1*, a member of a new maize retrotransposon family 471
Hübel A, Lee JH, Wu C, Schöffl F: *Arabidopsis* heat shock factor is constitutively active in *Drosophila* and human cells 136
Hungerer C, Troup B, Römling U, Jahn D: Cloning, mapping and characterization of the *Pseudomonas aeruginosa hemL* gene 375

Ikeda H → Yamaguchi H 637
Imamoto F → Tanaka H 518
Itaya M: Toward a bacterial genome technology: integration of the *Escherichia coli* prophage lambda genome into the *Bacillus subtilis* 168 chromosome 9
Ito T → Mikami K 573
Iwabuchi M → Mikami K 573
Izant JG → Arndt GM 293
Izhar S → Yesodi V 540

Jahn D → Hungerer C 375
Jensen S, Cavarec L, Gassama M-P, Heidmann T: Defective I elements introduced into *Drosophila* as transgenes can regulate reactivity and prevent I-R hybrid dysgenesis 381
Ji G → Novick RP 446
Jiang B, Ram AFJ, Sheraton J, Klis FM, Bussey H: Regulation of cell wall β-glucan assembly: *PTC1* Negatively attects *PBS2* Action in a pathway that includes modulation of *EXG1* transcription 260
Jimenez J → Bejarano ER 621
Jonak C, Kiegerl S, Lloyd C, Chan J, Hirt H: MMK2, a novel alfalfa MAP kinase, specifically complements the yeast MPK1 function 686
Jones SJM, Baillie DL: Characterization of the *let-653* gene in *Caenorhabditis elegans* 719

Kagaya Y, Nakamura H, Hidaka S, Ejiri S-i, Tsutsumi K-i: The promoter from the rice nuclear gene encoding chloroplast aldolase confers mesophyll-specific and light-regulated expression in transgenic tobacco 668
Kahmann R → Bölker M 547
Kakeda M, Ueguchi C, Yamada H, Mizuno T: An *Escherichia coli* curved DNA-binding protein whose expression is affected by the stationary phase-specific sigma factor σ^s 629
Kanaan M → Müller F 162
Kang HS → Yoon JH 174
Kano Y → Tanaka H 518
Kato H → Miyazaki H 17
Kato N, Tsuzuki M, Aiba H, Mizuno T: Gene activation by the *Escherichia coli* positive regulator OmpR: a mutational study of the DNA-binding domain of OmpR 399
Katsura M-a → Mikami K 573
Keller B → Feuillet C 553
Kempken F: Horizontal transfer of a mitochondrial plasmid 89
Kiegerl S → Jonak C 686
Kim S-K, Makino K, Amemura M, Nakata A, Shinagawa H: Mutational analysis of the role of the first helix of region 4.2 of the σ^{70} subunit of *Escherichia coli* RNA polymerase in transcriptional activation by activator protein PhoB 1
Klein A → Beneke S 225
Kleinsteuber S, Quiñones A: Expression of the *dnaB* gene of *Escherichia coli* is inducible by replication-blocking DNA damage in a *recA*-independent manner 695
Klingel U, Miller CM, North AK, Stockley PG, Baumberg S: A binding site for activation by the *Bacillus subtilis* AhrC protein, a repressor/activator of arginine metabolism 329
Klis FM → Jiang B 260
Kmiec EB → Dutta S 675
Kohno K → Tanaka H 518
Kornberg RD → Sugimoto K 712
Kornblum J → Novick RP 446
Koster M, Ovaa W, Bitter W, Weisbeek P: Multiple outer membrane receptors for uptake of ferric pseudobactins in *Pseudomonas putida* WCS358 735
Köster W → Rohrbach MR 33
Kotilainen M → Elomaa P 649
Kreiswirth B → Novick RP 446
Kropat J, Gromoff ED von, Müller FW, Beck CF: Heat shock and light activation of a *Chlamydomonas HSP70* gene are mediated by independent regulatory pathways 727
Krüger D → Müller F 162
Kunze R → Bravo-Angel AM 527
Kusano T, Berberich T, Harada M, Suzuki N, Sugawara K: A maize DNA-binding factor with a bZIP motif is induced by low temperature 507
Küssel P, Frasch M: Yeast Srp1, a nuclear protein related to *Drosophila* and mouse pendulin, is required for normal migration, division, and integrity of nuclei during mitosis 351

Lanzini S → Michel D 287
Lapierre L → Germond J-E 407
Last RL → Radwanski ER 657
Lee BJ → Yoon JH 174
Lee JH → Hübel A 136
Lescure B → Regad F 703
Lin Z, Howe D, Mallavia LP: Roa307, a protein encoded on *Coxiella burnetii* plasmid QpH1, shows homology to proteins encoded in the replication origin region of bacterial chromosomes 487
Liu S-T → Chen C-L 121
Liu Y, Belote JM: Protein-protein interactions among components of the *Drosophila* primary sex determination signal 182
Lloyd C → Jonak C 686
Lopez-Matas MA → Benito EP 126
Lu X → Giovannoni JJ 195
Ludin KM, Hilti N, Schweingruber ME: *Schizosaccharomyces pombe rds1*, an adenine-repressible gene regulated by glu-

cose, ammonium, phosphate, carbon dioxide and temperature 439

Ma C, Rupert CS: Promoters of the *phr* gene in *Escherichia coli* K-12 52
Makino K → Kim S-K 1
Malik M → Friedman SM 417
Mallavia LP → Lin Z 487
Marín I, Fontdevila A: Characterization of *Gandalf*, a new inverted-repeat transposable element of *Drosophila koepferae* 423
Marinx O → Regad F 703
Martin GB → Giovannoni JJ 195
Mathieu C → Pla M 79
Matsumoto K → Sugimoto K 712
Mauchline D → Søndergaard L 25
Maul B, Völker U, Riethdorf S, Engelmann S, Hecker M: σ^B-dependent regulation of *gsiB* in response to multiple stimuli in *Bacillus subtilis* 114
McClung CR → Davis CR 341
McCormick SP → Hohn TM 95
McCouch SR → Van Deynze AE 744
McPeek MA → Davis CR 341
Meima R, Haijema BJ, Venema G, Bron S: Overproduction of the ATP-dependent nuclease AddAB improves the structural stability of a model plasmid system in *Bacillus subtilis* 391
Messing J → Hu W 471
Messmer M → Feuillet C 553
Michel D, Hartings H, Lanzini S, Michel M, Motto M, Riboldi GR, Salamini F, Döring H-P: Insertion mutations at the maize *Opaque2* locus induced by transposable element families *Ac*, *En/Spm* and *Bg* 287
Michel M → Michel D 287
Mikami K, Katsura M-a, Ito T, Okada K, Shimura Y, Iwabuchi M: Developmental and tissue-specific regulation of the gene for the wheat basic/leucine zipper protein HBP-1a(17) in transgenic *Arabidopsis* plants 573
Miller CM → Klingel U 329
Mithen R → Clarke JH 278
Miwa Y → Yoshida K-I 583
Miyazaki H, Kato H, Nakazawa T, Tsuda M: A positive regulatory gene, *pvdS*, for expression of pyoverdin biosynthetic genes in *Pseudomonas aeruginosa* PAO 17
Mizuno T → Kakeda M 629
Mizuno T → Kato N 399
Moffatt B → Vaucheret H 311
Moghazeh S → Novick RP 446
Mollet B → Germond J-E 407
Moriyama H, Nitta T, Fukuhara T: Double-stranded RNA in rice: a novel RNA replicon in plants 364
Motto M → Michel D 287
Müller F, Krüger D, Sattlegger E, Hoffmann B, Ballario P, Kanaan M, Barthelmess IB: The *cpc-2* gene of *Neurospora crassa* encodes a protein entirely composed of WD-repeat segments that is involved in general amino acid control and female fertility 162
Müller FW → Kropat J 727
Muñoz MJ → Bejarano ER 621
Murphy AM → Begley D 69

Nagamine T → Nakamura T 253
Nakamura H → Kagaya Y 668
Nakamura T, Yamamori M, Hirano H, Hidaka S, Nagamine T: Production of waxy (amylose-free) wheats 253
Nakata A → Kim S-K 1
Nakazawa T → Miyazaki H 17
Nelson JC → Van Deynze AE 744
Nishimura S → Bösl MR 247
Nitta T → Moriyama H 364
Niwa O → Tange Y 644
Noensie EN → Giovannoni JJ 195
North AK → Klingel U 329
Novick RP, Projan SJ, Kornblum J, Ross HF, Ji G, Kreiswirth B, Vandenesch F, Moghazeh S: The *agr*P2 operon: an autocatalytic sensory transduction system in *Staphylococcus aureus* 446

Odenbreit S → Schmitt W 563
Ohmori H → Yoshida K-I 583
Okada K → Mikami K 573
O'Connor A → Diaz I 592
Ovaa W → Koster M 735

Palauqui J-C → Vaucheret H 311
Patrikakis M → Arndt GM 293
Paul S → Rohrbach MR 33
Pè ME → Rossini L 535
Pear JR → Delmer DP 43
Pelzer-Reith B, Freund S, Schnarrenberger C, Yatsuki H, Hori K: The plastid aldolase gene from *Chlamydomonas reinhardtii*: intron/exon organization, evolution, and promoter structure 481
Phear GA → Aves SJ 491
Pietrzykowska I → Bębenek A 103
Pillen K → Giovannoni JJ 195
Pla M, Mathieu C, De Paepe R, Chétrit P, Vedel F: Deletion of the last two exons of the mitochondrial *nad7* gene results in lack of the NAD7 polypeptide in a *Nicotiana sylvestris* CMS mutant 79
Postma PW → Vlag J van der 236
Projan SJ → Novick RP 446

Quiñones A → Kleinsteuber S 695

Radwanski ER, Zhao J, Last RL: *Arabidopsis thaliana* tryptophan synthase alpha: gene cloning expression, and subunit interaction 657
Ram AFJ → Jiang B 260
Reed SI → Sugimoto K 712
Regad F, Hervé C, Marinx O, Bergounioux C, Tremousaygue D, Lescure B: The *tef1* box, a ubiquitous *cis*-acting element involved in the activation of plant genes that are highly expressed in cycling cells 703
Régnier P → Zilhão R 242
Riboldi GR → Michel D 287
Riethdorf S → Maul B 114
Rohrbach MR, Paul S, Köster W: In vivo reconstitution of an active siderophore transport system by a binding protein derivative lacking a signal sequence 33
Römling U → Hungerer C 375
Ross HF → Novick RP 446
Rossini L, Pè ME, Frova C, Hein K, Sari-Goria M: Molecular analysis and mapping of two genes encoding maize glutathione S-transferases (GST I and GST II) 535
Royo J → Diaz I 592
Ruezinsky DM → Giovannoni JJ 195
Ruiz-Echevarría MJ, Cueva G de la, Díaz-Orejas R: Translational coupling and limited degradation of a polycistronic messenger modulate differential gene expression in the *parD* stability system of plasmid R1 599
Rupert CS → Ma C 52

Saiki T → Tanaka H 518
Salamini F → Michel D 287
Sari-Goria M → Rossini L 535
Sattlegger E → Müller F 162
Schachermayr G → Feuillet C 553
Schiestl RH → Galli A 301
Schmitt W, Odenbreit S, Heuermann D, Haas R: Cloning of the *Helicobacter pylori recA*gene and functional characterization of its product 563
Schnarrenberger C → Pelzer-Reith B 481
Schöffl F → Hübel A 136
Schweingruber ME → Ludin KM 439
Seldin MF → Bösl MR 247
Seppänen P → Elomaa P 649
Shen W-H → Bravo-Angel AM 527
Sheraton J → Jiang B 260
Shimizu H → Yamaguchi H 637
Shimura Y → Mikami K 573
Shinagawa H → Kim S-K 1
Shiotani H, Tsuge T: Efficient gene targeting in the filamentous fungus *Alternaria alternata* 142
Slee R, Bownes M: The *raspberry* locus encodes *Drosophila*inosine monophosphate dehydrogenase 755
Smith TM → Bechthold A 610
Sohng JK → Bechthold A 610
Sorrells ME → Van Deynze AE 744
Søndergaard L, Mauchline D, Egetoft P, White N, Wulff P, Bownes M: Nutritional response in a *Drosophila*yolk protein gene promoter 25
Stalker DM → Delmer DP 43
Stanchev B → Cock JM 151
Stockley PG → Klingel U 329
Sugawara K → Kusano T 507
Sugimoto K, Matsumoto K, Kornberg RD, Reed SI, Wittenberg C: Dosage suppressors of the dominant G1 cyclin mutant *CLN3-2*: identification of a yeast gene encoding a putative RNA/ssDNA binding protein 712
Suzuki N → Kusano T 507
Sweasy JB, Yoon MS: Characterization of DNA polymerase β mutants with amino acid substitutions located in the C-terminal portion of the enzyme 217

Tabib Y → Yesodi V 540
Taketo M → Bösl MR 247
Tanaka H, Yasuzawa K, Kohno K, Goshima N, Kano Y, Saiki T, Imamoto F: Role of HU proteins in forming and constraining supercoils of chromosomal DNA in *Escherichia coli* 518
Tange Y, Niwa O: A selection system for diploid and against haploid cells in *Schizosaccharomyces pombe* 644
Tanksley SD → Giovannoni JJ 195
Teeri TH → Elomaa P 649
Thompson S → Weiss-Brummer B 207
Tongue N → Aves SJ 491

Tracy SL → Giovannoni JJ 195
Tremousaygue D → Regad F 703
Troup B → Hungerer C 375
Tschen JS-M → Chen C-L 121
Tsubota SI → Begley D 69
Tsuda M → Miyazaki H 17
Tsuge T → Shiotani H 142
Tsutsumi K-i → Kagaya Y 668
Tsuzuki M → Kato N 399

Ueguchi C → Kakeda M 629

Van Deynze AE, Nelson JC, Yglesias ES, Harrington SE, Braga DP, McCouch SR, Sorrells ME: Comparative mapping in grasses. Wheat relationships 744
Vandenesch F → Novick RP 446
Vaucheret H, Palauqui J-C, Elmayan T, Moffatt B: Molecular and genetic analysis of nitrite reductase co-suppression in transgenic tobacco plants 311
Vedel F → Pla M 79
Venema G → Meima R 391
Vlag J van der, Postma PW: Regulation of glycerol and maltose uptake by the IIA^{Glc}-like domain of II^{Nag} of the phosphotransferase system in *Salmonella typhimurium* LT2 236
Völker U → Maul B 114

Wambutt R → Wedler H 499
Weber PC: Analysis of Tn*5* inversion events in *Escherichia coli* plasmids 459
Wedler H, Wambutt R: A temperature-sensitive lambda cI repressor functions on a modified operator in yeast cells by masking the TATA element 499
Weisbeek P → Koster M 735
Weiss-Brummer B, Zollner A, Haid A, Thompson S: Mutation of a highly conserved base in the yeast mitochondrial 21S rRNA restricts ribosomal frameshifting 207
White N → Søndergaard L 25
Wittenberg C → Sugimoto K 712
Wu C → Hübel A 136
Wulff P → Søndergaard L 25

Yamada H → Kakeda M 629
Yamaguchi H, Yamashita T, Shimizu H, Ikeda H: A hotspot of spontaneous and UV-induced illegitimate recombination during formation of *λbio* transducing phage 637
Yamamori M → Nakamura T 253
Yamashita T → Yamaguchi H 637
Yasuzawa K → Tanaka H 518
Yatsuki H → Pelzer-Reith B 481
Yesodi V, Izhar S, Gidoni D, Tabib Y, Firon N: Involvement of two different *urf-s* related mitochondrial sequences in the molecular evolution of the CMS-specific *S-Pcf* locus in petunia 540
Yglesias ES → Van Deynze AE 744
Yoon JH, Lee BJ, Kang HS: The *Aspergillus uvsH* gene encodes a product homologous to yeast RAD18 and *Neurospora* UVS-2 174
Yoon MS → Sweasy JB 217
Yoshida K-I, Miwa Y, Ohmori H, Fujita Y: Analysis of an insertional operator mutation (*gntOi*) that affects the expression level of the *Bacillus subtilis gnt* operon, and characterization of *gntOi* suppressor mutations 583
Yu J → Chang P-K 270

Zhao J → Radwanski ER 657
Zhou J, Goldsbrough PB: Structure, organization and expression of the metallothionein gene family in *Arabidopsis* 318
Zilhão R, Caillet J, Régnier P, Arraiano CM: Precise physical mapping of the *Escherichia coli rnb* gene, encoding ribonuclease II 242
Zollner A → Weiss-Brummer B 207

Indexed in *Current Contents* and *Index Medicus*